

Sample

Product description: /
Batch number: CANNABIS GUMMIES AMNESIA
HAZE
Sample type: extracts and hemp final products
SFP id: V13584
Sample received date: 2025-10-20
Remarks: /

Analysis ID: A14741-1

Method id: GCMS_GC_FID_general_v1.0
Date of acquisition: 2025-10-23
Date of processing: 2025-10-24
Date of approval: 2025-10-26
Remarks: /

Customer

The High Company S.R.O.




Cannabinoids

Short	Substance name	Assay %	M.U.
CBDV	Cannabidivarin	ND	ND
CBT	Cannabicitran	ND	ND
Δ^9 -THCV	Δ^9 -tetrahydrocannabivarin	ND	ND
CBL	Cannabicyclol	ND	ND
CBD	Cannabidiol	ND	ND
CBC	Cannabichromene	ND	ND
iso-THC	Δ^8 -iso-Tetrahydrocannabinol	ND	ND
R-HHC	9R-Hexahydrocannabinol	ND	ND
S-HHC	9S-Hexahydrocannabinol	ND	ND
RH4CBD	R-Tetrahydrocannabidiol	ND	ND
SH4CBD	S-Tetrahydrocannabidiol	ND	ND
CBE	Cannabielsoin	ND	ND
Δ^8 -THC	Δ^8 -tetrahydrocannabinol	ND	ND
Δ^9 -THC	Δ^9 -tetrahydrocannabinol	ND	ND
CBG	Cannabigerol	ND	ND
CBN	Cannabinol	ND	ND
CBDP	cannabidiphorol	ND	ND
R-HHCP	9R-Hexahydrocannabiphorol	ND	ND
S-HHCP	9S-Hexahydrocannabiphorol	ND	ND
d8-THCP	Trans- Δ^8 -Tetrahydrocannabiphorol	ND	ND
d9-THCP	Trans- Δ^9 -tetrahydrocannabiphorol	ND	ND



Method of Analysis: GC-FID (Gas Chromatography with Flame Ionization Detection) coupled with GC-MS (Gas Chromatography-Mass Spectrometry). The determined measurement uncertainty (M. U.) is always given in the same unit as specified result. LOQ = Values below quantification limit of 0.02 % (respectively 200 mg/kg). ND = Not Detected - below detection limit (lower than 0.01 % respectively 100 mg/kg).




Sample

Product description: /
Batch number: CANNABIS GUMMIES CHERRY ZKITTLEZ
Sample type: extracts and hemp final products
SFP id: V13584
Sample received date: 2025-10-20
Remarks: /

Analysis ID: A14741-1

Method id: GCMS_GC_FID_general_v1.0
Date of acquisition: 2025-10-23
Date of processing: 2025-10-24
Date of approval: 2025-10-26
Remarks: /

Customer

The High Company S.R.O.



Cannabinoids

Short	Substance name	Assay %	M.U.
CBDV	Cannabidivarin	ND	ND
CBT	Cannabicitran	ND	ND
Δ^9 -THCV	Δ^9 -tetrahydrocannabivarin	ND	ND
CBL	Cannabicyclol	ND	ND
CBD	Cannabidiol	ND	ND
CBC	Cannabichromene	ND	ND
iso-THC	Δ^8 -iso-Tetrahydrocannabinol	ND	ND
R-HHC	9R-Hexahydrocannabinol	ND	ND
S-HHC	9S-Hexahydrocannabinol	ND	ND
RH4CBD	R-Tetrahydrocannabidiol	ND	ND
SH4CBD	S-Tetrahydrocannabidiol	ND	ND
CBE	Cannabielsoin	ND	ND
Δ^8 -THC	Δ^8 -tetrahydrocannabinol	ND	ND
Δ^9 -THC	Δ^9 -tetrahydrocannabinol	ND	ND
CBG	Cannabigerol	ND	ND
CBN	Cannabinol	ND	ND
CBDP	cannabidiphorol	ND	ND
R-HHCP	9R-Hexahydrocannabiphorol	ND	ND
S-HHCP	9S-Hexahydrocannabiphorol	ND	ND
d8-THCP	Trans- Δ^8 -Tetrahydrocannabiphorol	ND	ND
d9-THCP	Trans- Δ^9 -tetrahydrocannabiphorol	ND	ND



Method of Analysis: GC-FID (Gas Chromatography with Flame Ionization Detection) coupled with GC-MS (Gas Chromatography-Mass Spectrometry). The determined measurement uncertainty (M. U.) is always given in the same unit as specified result. LOQ = Values below quantification limit of 0.02 % (respectively 200 mg/kg). ND = Not Detected - below detection limit (lower than 0.01 % respectively 100 mg/kg).

Sample

Product description: /
Batch number: CANNABIS GUMMIES PURPLE PUNCH
Sample type: extracts and hemp final products
SFP id: V13584
Sample received date: 2025-10-20
Remarks: /

Analysis ID: A14741-1

Method id: GCMS_GC_FID_general_v1.0
Date of acquisition: 2025-10-23
Date of processing: 2025-10-24
Date of approval: 2025-10-26
Remarks: /

Customer

The High Company S.R.O.



Cannabinoids

Short	Substance name	Assay %	M.U.
CBDV	Cannabidivarin	ND	ND
CBT	Cannabicitran	ND	ND
Δ^9 -THCV	Δ^9 -tetrahydrocannabivarin	ND	ND
CBL	Cannabicyclol	ND	ND
CBD	Cannabidiol	ND	ND
CBC	Cannabichromene	ND	ND
iso-THC	Δ^8 -iso-Tetrahydrocannabinol	ND	ND
R-HHC	9R-Hexahydrocannabinol	ND	ND
S-HHC	9S-Hexahydrocannabinol	ND	ND
RH4CBD	R-Tetrahydrocannabidiol	ND	ND
SH4CBD	S-Tetrahydrocannabidiol	ND	ND
CBE	Cannabielsoin	ND	ND
Δ^8 -THC	Δ^8 -tetrahydrocannabinol	ND	ND
Δ^9 -THC	Δ^9 -tetrahydrocannabinol	ND	ND
CBG	Cannabigerol	ND	ND
CBN	Cannabinol	ND	ND
CBDP	cannabidiphorol	ND	ND
R-HHCP	9R-Hexahydrocannabiphorol	ND	ND
S-HHCP	9S-Hexahydrocannabiphorol	ND	ND
d8-THCP	Trans- Δ^8 -Tetrahydrocannabiphorol	ND	ND
d9-THCP	Trans- Δ^9 -tetrahydrocannabiphorol	ND	ND



Method of Analysis: GC-FID (Gas Chromatography with Flame Ionization Detection) coupled with GC-MS (Gas Chromatography-Mass Spectrometry). The determined measurement uncertainty (M. U.) is always given in the same unit as specified result. LOQ = Values below quantification limit of 0.02 % (respectively 200 mg/kg). ND = Not Detected - below detection limit (lower than 0.01 % respectively 100 mg/kg).

Sample

Analysis ID: A14741-1

Customer

Productdescription: /	Method id: GCMS_GC_FID_general_v1.0	The High Company S.R.O.
Batch number: CANNABIS CARAMEL OG KUSH	Date of aquisition: 2025-10-23	
Sample type: extracts and hemp final products	Date of processing: 2025-10-24	
SFP id: V13584	Date of approval: 2025-10-26	
Sample received date: 2025-10-20	Remarks: /	
Remarks: /		



Cannabinoids

Short	Substance name	Assay %	M.U.
CBDV	Cannabidivarin	ND	ND
CBT	Cannabicitran	ND	ND
Δ9-THCV	Δ9-tetrahydrocannabivarin	ND	ND
CBL	Cannabicyclol	ND	ND
CBD	Cannabidiol	ND	ND
CBC	Cannabichromene	ND	ND
iso-THC	Δ8-iso-Tetrahydrocannabinol	ND	ND
R-HHC	9R-Hexahydrocannabinol	ND	ND
S-HHC	9S-Hexahydrocannabinol	ND	ND
RH4CBD	R-Tetrahydrocannibidiol	ND	ND
SH4CBD	S-Tetrahydrocannibidiol	ND	ND
CBE	Cannabielsoin	ND	ND
Δ8-THC	Δ8-tetrahydrocannabinol	ND	ND
Δ9-THC	Δ9-tetrahydrocannabinol	ND	ND
CBG	Cannabigerol	ND	ND
CBN	Cannabinol	ND	ND
CBDP	cannabidiphorol	ND	ND
R-HHCP	9R-Hexahydrocannabiphorol	ND	ND
S-HHCP	9S-Hexahydrocannabiphorol	ND	ND
d8-THCP	Trans-Δ8-Tetrahydrocannabiphorol	ND	ND
d9-THCP	Trans-Δ9-tetrahydrocannabiphorol	ND	ND



Method of Analysis: GC-FID (Gas Chromatography with Flame Ionization Detection) coupled with GC-MS (Gas Chromatography-Mass Spectrometry). The determined measurement uncertainty (M. U.) is always given in the same unit as specified result. LOQ = Values below quantification limit of 0.02 % (respectively 200 mg/kg). ND = Not Detected - below detection limit (lower than 0.01 % respectively 100 mg/kg).

Sample

Product description: /
Batch number: CANNABIS CHOCO WHITE WIDOW
Sample type: extracts and hemp final products
SFP id: V13584
Sample received date: 2025-10-20
Remarks: /

Analysis ID: A14741-1

Method id: GCMS_GC_FID_general_v1.0
Date of acquisition: 2025-10-23
Date of processing: 2025-10-24
Date of approval: 2025-10-26
Remarks: /

Customer

The High Company S.R.O.



Cannabinoids

Short	Substance name	Assay %	M.U.
CBDV	Cannabidivarin	ND	ND
CBT	Cannabicitran	ND	ND
Δ^9 -THCV	Δ^9 -tetrahydrocannabivarin	ND	ND
CBL	Cannabicyclol	ND	ND
CBD	Cannabidiol	ND	ND
CBC	Cannabichromene	ND	ND
iso-THC	Δ^8 -iso-Tetrahydrocannabinol	ND	ND
R-HHC	9R-Hexahydrocannabinol	ND	ND
S-HHC	9S-Hexahydrocannabinol	ND	ND
RH4CBD	R-Tetrahydrocannabidiol	ND	ND
SH4CBD	S-Tetrahydrocannabidiol	ND	ND
CBE	Cannabielsoin	ND	ND
Δ^8 -THC	Δ^8 -tetrahydrocannabinol	ND	ND
Δ^9 -THC	Δ^9 -tetrahydrocannabinol	ND	ND
CBG	Cannabigerol	ND	ND
CBN	Cannabinol	ND	ND
CBDP	cannabidiphorol	ND	ND
R-HHCP	9R-Hexahydrocannabiphorol	ND	ND
S-HHCP	9S-Hexahydrocannabiphorol	ND	ND
d8-THCP	Trans- Δ^8 -Tetrahydrocannabiphorol	ND	ND
d9-THCP	Trans- Δ^9 -tetrahydrocannabiphorol	ND	ND



Method of Analysis: GC-FID (Gas Chromatography with Flame Ionization Detection) coupled with GC-MS (Gas Chromatography-Mass Spectrometry). The determined measurement uncertainty (M.U.) is always given in the same unit as specified result. LOQ = Values below quantification limit of 0.02 % (respectively 200 mg/kg). ND = Not Detected - below detection limit (lower than 0.01 % respectively 100 mg/kg).

Sample

Analysis ID: A14741-1

Customer

Product description: /
Batch number: CANNABIS CHOCO
MOROCCAN HASH
Sample type: extracts and hemp final products
SFP id: V13584
Sample received date: 2025-10-20
Remarks: /

Method id: GCMS_GC_FID_general_v1.0
Date of acquisition: 2025-10-23
Date of processing: 2025-10-24
Date of approval: 2025-10-26
Remarks: /

The High Company S.R.O.



Cannabinoids

Short	Substance name	Assay %	M.U.
CBDV	Cannabidivarin	ND	ND
CBT	Cannabicitran	ND	ND
Δ^9 -THCV	Δ^9 -tetrahydrocannabivarin	ND	ND
CBL	Cannabicyclol	ND	ND
CBD	Cannabidiol	ND	ND
CBC	Cannabichromene	ND	ND
iso-THC	Δ^8 -iso-Tetrahydrocannabinol	ND	ND
R-HHC	9R-Hexahydrocannabinol	ND	ND
S-HHC	9S-Hexahydrocannabinol	ND	ND
RH4CBD	R-Tetrahydrocannabidiol	ND	ND
SH4CBD	S-Tetrahydrocannabidiol	ND	ND
CBE	Cannabielsoin	ND	ND
Δ^8 -THC	Δ^8 -tetrahydrocannabinol	ND	ND
Δ^9 -THC	Δ^9 -tetrahydrocannabinol	ND	ND
CBG	Cannabigerol	ND	ND
CBN	Cannabinol	ND	ND
CBDP	cannabidiphorol	ND	ND
R-HHCP	9R-Hexahydrocannabiphorol	ND	ND
S-HHCP	9S-Hexahydrocannabiphorol	ND	ND
d8-THCP	Trans- Δ^8 -Tetrahydrocannabiphorol	ND	ND
d9-THCP	Trans- Δ^9 -tetrahydrocannabiphorol	ND	ND



Method of Analysis: GC-FID (Gas Chromatography with Flame Ionization Detection) coupled with GC-MS (Gas Chromatography-Mass Spectrometry). The determined measurement uncertainty (M. U.) is always given in the same unit as specified result. LOQ = Values below quantification limit of 0.02 % (respectively 200 mg/kg). ND = Not Detected - below detection limit (lower than 0.01 % respectively 100 mg/kg).

